

Number	Permit Section	Question
1	S5.A	Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6.  <b>Not Applicable</b>
2	S5.A	Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)  <b>MountVernon_SWMP2023_FINAL_2_03282023111306</b>
3	S5.A	Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.  <b>Yes</b>
4	S5.A.5.b	Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)  <b>Yes</b>
5	S5.C.1.	Have you convened an interdisciplinary team to inform and assist in the development, progress, and influence of the comprehensive stormwater planning program? (S.5.c.1). August 1, 2020  <b>Yes</b>
15	S5.C.1.c	Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually)  <b>Yes</b>
16	S5.C.1.c	From the assessment described in S5.C.1.c.i(a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually)  <b>No</b>
19	S5.C.1.d	Developed a Stormwater Management Action Plan (SMAP) for at least one high priority area? (S.5.C.1.d.iii – Required by March 31, 2023)  <b>Yes</b>

Number	Permit Section	Question
19a	S5.C.1.d	<p>Attach SMAP(s)</p> <p><b>MountVernon_SMAP_FINAL_19a_03282023111510</b></p>
20	S5.C.2	<p>Did you choose to adopt one or more elements of a regional program? (S5.C.2)</p> <p><b>Yes</b></p> <p>If yes, list the elements, and the regional program.</p>
20a	S5.C.2	<p><b>The City of Mount Vernon is part of the Skagit Conservation District Stormwater Education Program. The regional group continues to expand on program elements as needed. This program includes the Skagit Conservation District Stream Team, Watershed Masters Volunteer Training Program, Storm Drain Labeling Program, Private Stormwater Facility Maintenance Workshop, Backyard Conservation Stewardship Program, and a pet waste social marketing campaign.</b></p>
21	S5.C.2	<p>Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.</p> <p><b>2022 Annual E &amp; O report_21_03292023142342</b></p>
26	S5.C.2	<p>Promoted stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.2.a.iii.</p>
26a	S5.C.2	<p><b>Yes</b></p> <p>Attach a list of stewardship opportunities provided.</p> <p><b>Stewardship Opportunities_26a_26a_03292023144715</b></p>
27	S5.C.3.	<p>Describe in Comments field the opportunities created for the public, including overburdened communities, to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. (S5.C.3.a)</p> <p><b>SWMP was posted on City's website and was presented to City Council in a public meeting with comment opportunity. Notices were posted in newspaper, internet, and announcements were made during televised council meetings. Process includes posting SWMP on internet for public comment prior to presentation at Public Works committee meeting. Public will be informed via newspaper, internet, and public television. Committee meeting is open to public.</b></p>

Number	Permit Section	Question
28	S5.C.3.	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b)
		<b>Yes</b>
28a	S5.C.3.	List the website address in Comments field.
		<b>http://www.mountvernonwa.gov/426/NPDES-Stormwater-Permit</b>
29	S5.C.4.	Maintained a map of the MS4 including the requirements listed in S5.C.4.a.i-vii?
		<b>Yes</b>
30	S5.C.4.	Started mapping outfall size and material in accordance with S5.C.4.b.i? (Required no later than January 1, 2020)
		<b>Yes</b>
30a	S5.C.4.	Attach a spreadsheet that lists the known outfalls' size and material(s).
		<b>OutfallReport2022_30a_03272023135228</b>
31	S5.C.4.	Completed mapping connections to private storm sewers in accordance with S5.C.4.b.ii? (Required no later than August 1, 2023)
		<b>Not Applicable</b>
33	S5.C.5	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste? (S5.C.5.b)
		<b>Yes</b>
33a	S5.C.5	Actions taken to inform public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste.
		<b>Implemented an ongoing training program for employees. Implemented a pet waste education program in conjunction with Skagit Conservation District. When performing field screening, staff will also notify businesses adjacent to outfalls while requesting site access.</b>
34	S5.C.5	Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.
		<b>Yes</b>

Number	Permit Section	Question
35	S5.C.5	<p>Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.</p> <p><b>Yes</b></p> <p>Cite field screening methodology in Comments field.</p>
35a	S5.C.5	<p><b>Each year the streams of a specific drainage basin are walked during dry weather to check the outfalls for illicit connections or discharges. During a spill, the team traces through visual and olfactory means, and conducts further tests via samples if necessary to locate source of a discharge or connection. When visiting a site or facility for an investigation or inspection, the team is also on the lookout for visual signs of illicit discharges and illicit connections.</b></p>
36	S5.C.5	<p>Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)</p> <p><b>19</b></p> <p>Cite field screening techniques used to determine percent of MS4 screened.</p>
36a	S5.C.5	<p><b>Contributing area of basin compared to total MS4 area. To meet this requirement, a two year average has been calculated using the area screened in 2021, and the area screened in 2022.</b></p>
37	S5.C.5	<p>Percentage of total MS4 screened from permit effective date through the end of the reporting year. (S5.C.5.d.i.)</p> <p><b>62</b></p>
38	S5.C.5	<p>Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)</p> <p><b>The IDDE hotline is listed on the City website, in the phonebook, and on several public service announcements on TV10.</b></p>
39	S5.C.5	<p>Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.</p> <p><b>Yes</b></p>
40	S5.C.5	<p>Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.</p> <p><b>Yes</b></p>

Number	Permit Section	Question
41	S5.C.5	<p>Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.5.f.</p> <p><b>Yes</b></p>
42	S5.C.5	<p>Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 12.</p> <p><b>Imported from WQWebIDDE</b></p>
43	S5.C.6.	<p>Implemented an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii.</p> <p><b>Yes</b></p>
44	S5.C.6.	<p>Revised ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. (Required no later than June 30, 2022)</p> <p><b>Yes</b></p> <p>Cite code reference in Comments field.</p>
44a	S5.C.6.	<p><b>Ord 3852 Mount Vernon Municipal Code Chapter 15.40 Mount Vernon Municipal Code Chapter 13.33</b></p>
45	S5.C.6.	<p>Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1)</p> <p><b>0</b></p>
46	S5.C.6.	<p>Number of exceptions/variances granted to the minimum requirements in Appendix 1. (S5.C.6.b.i., and Section 6 of Appendix 1)</p> <p><b>0</b></p>
47	S5.C.6.	<p>Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i)</p> <p><b>Yes</b></p>
47a	S5.C.6.	<p>Number of site plans reviewed during the reporting period.</p> <p><b>393</b></p>

Number	Permit Section	Question
48	S5.C.6.	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii, that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 – Determining Construction Site Sediment Damage Potential?
		<b>Yes</b>
48a	S5.C.6.	If no, inspected, prior to clearing and construction, all construction sites meeting the minimum thresholds (S5.C.6.c.ii)?
		<b>No</b>
49	S5.C.6.	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii.
		<b>Yes</b>
49a	S5.C.6.	Number of construction sites inspected per S5.C.6.c.iii.
		<b>182</b>
49b	S5.C.6.	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments every 6 months per S5.C.6.c.iv?
		<b>Yes</b>
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v)
		<b>Yes</b>
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v)
		<b>Yes</b>
52	S5.C.6.	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.6.c.ii-iv)(S5.C.7.c.viii)
		<b>0</b>

Number	Permit Section	Question
53	S5.C.6.	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi)  <b>Yes</b>
54	S5.C.6.	Made Ecology's Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity available to representatives of proposed new development and redevelopment? (S5.C.6.d)  <b>Yes</b>
55	S5.C.6.	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities? (S5.C.6.e)  <b>Yes</b>
56	S5.C.7.	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.7.a?  <b>Yes</b>
57	S5.C.7.	Updated maintenance standards specified in Stormwater Management Manual for Western Washington per S5.C.7.a? (Required no later than June 30, 2022)  <b>Yes</b>
58	S5.C.7.	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? If so, note in the Comments field what kinds of facilities are covered by this alternative standard. (S5.C.7.a)  <b>No</b>
59	S5.C.7.	Verified that maintenance was performed per the schedule in S5.C.7.a.ii when an inspection identified an exceedance of the maintenance standard.  <b>Yes</b>

Number	Permit Section	Question
59a	S5.C.7.	Attach documentation of maintenance time frame exceedances that were beyond the Permittee's control.
		<b>Not Applicable</b>
60	S5.C.7.	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per (S5.C.7.b.i (a))?
		<b>Yes</b>
61	S5.C.7.	Annually inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.7.b.i(b)
		<b>Yes</b>
61a	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.b.i (b)
		<b>Not Applicable</b>
62	S5.C.7.	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.7.b.ii)
		<b>Yes</b>
63	S5.C.7.	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)
		<b>Yes</b>
63a	S5.C.7.	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)
		<b>219</b>
63b	S5.C.7.	Number of facilities inspected during the reporting period.
		<b>218</b>
63c	S5.C.7.	Number of facilities for which maintenance was performed during the reporting period.
		<b>677</b>
64	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.c.i.
		<b>Not Applicable</b>

Number	Permit Section	Question
65	S5.C.7.	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii.
		<b>Yes</b>
66	S5.C.7.	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S.5.C.7.c.iii)
		<b>Yes</b>
66a	S5.C.7.	Number of known catch basins?
		<b>6312</b>
66b	S5.C.7.	Number of catch basins inspected during the reporting period?
		<b>3329</b>
66c	S5.C.7.	Number of catch basins cleaned during the reporting period?
		<b>2877</b>
67	S5.C.7.	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.7.c.iii.(a)-(c))
		<b>Not Applicable</b>
68	S5.C.7.	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d)
		<b>Yes</b>
69	S5.C.7.	Documented practices, policies, and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d – Required by December 31, 2022)
		<b>Yes</b>
69a	S5.C.7.	Cite documentation in Comments.
		<b>2019 SWMMWW Fir St SWPPP</b>

Number	Permit Section	Question
70	S5.C.7.	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.7.e)
		<b>Yes</b>
71	S5.C.7.	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.7.f)
		<b>Yes</b>
72	S5.C.7.	Updated, if needed, SWPPPs according to S5.C.7.f no later than December 31, 2022.
		<b>Yes</b>
73	S5.C.8	Adopted ordinance(s), or other enforceable documents, requiring the application of source control BMPs for pollutant generating sources associated with existing land uses and activities per S.5.C.8.b.i. (Required by August 1, 2022)
		<b>Yes</b>
73a	S5.C.8	Cite ordinance. (Required by August 1, 2022)
		<b>Ord. 3852</b>
74	S5.C.8	Established an inventory per S5.C.8.b.ii. (Required by August 1, 2022.)
		<b>Yes</b>
74a	S5.C.8	Number of total sites identified for the inventory.
		<b>288</b>
75	S5.C.8	Implemented an inspection program S5.C.8.b.iii (Required by January 1, 2023).
		<b>Yes</b>
76	S5.C.8	Implemented a progressive enforcement policy per S5.C.8.b.iv (Required by January 1, 2023).
		<b>Yes</b>

Number	Permit Section	Question
77	S5.C.8	Attach a summary of actions taken to implement the source control program per S5.C.8.b.iii and S5.C.8.b.iv.  <b>Source_Control_77_77_03292023144742</b>
78	S5.C.8	Attach a list of inspections, per S5.C.8.b.iii, organized by the business category, noting the amount of times each business was inspected, and if enforcement actions were taken.  <b>Not Applicable</b>
79	S5.C.8	Implemented an ongoing source control training program per S5.C.8.b.v?  <b>Yes</b>
80	S7	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)  <b>Not Applicable</b>
81	S7	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)  <b>Not Applicable</b>
82	S8	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2019 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.)  <b>Yes</b>
84	S8	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2019 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)?  <b>Yes</b>
87	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, attach a data and analysis report per S8.C.1. and Appendix 9. (Due annually beginning March 31, 2021.)  <b>Not Applicable</b>

Number	Permit Section	Question
88	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3)
		<b>Yes</b>
89	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A.
		<b>Yes</b>
90	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1)
		<b>Not Applicable</b>
91	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a.
		<b>Not Applicable</b>
92	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d)
		<b>Not Applicable</b>
93	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20)
		<b>Not Applicable</b>
94	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field.
		<b>Not Applicable</b>

Attachments:

## View Files Attached to Submission

DocDescr	DocName	DocExt	DocID	SubID	AppName
WAR045553_21_03292023142342	2022 Annual E & O report_21_03292023142342	.pdf	1367409	1863191	wqwebportal
Submitted Copy of Record for City of Mount Vernon	Copy of Record CityofMountVernon Wednesday March 29 2023	.pdf	1367512	1863191	wqwebportal
Submitted Cover Letter for City of Mount Vernon	Cover Letter CityofMountVernon Wednesday March 29 2023	.pdf	1367513	1863191	wqwebportal
WAR045553_19a_03282023111510	MountVernon_SMAP_FINAL_19a_03282023111510	.pdf	1366637	1863191	wqwebportal
WAR045553_2_03282023111306	MountVernon_SWMP2023_FINAL_2_03282023111306	.pdf	1366630	1863191	wqwebportal
WAR045553_30a_03272023135228	OutfallReport2022_30a_03272023135228	.pdf	1366297	1863191	wqwebportal
WAR045553_77_03292023144742	Source_Control_77_77_03292023144742	.pdf	1367439	1863191	wqwebportal
WAR045553_26a_03292023144715	Stewardship Opportunities_26a_26a_03292023144715	.pdf	1367438	1863191	wqwebportal
ImportedIDDEsWAR045553-2022-ImportedIDDEs_03292023142643	WAR045553-2022-ImportedIDDEs_03292023142643	.xml	1367419	1863191	wqwebportal